

Walbernize RV Super Seal**1 PRODUCT AND COMPANY IDENTIFICATION**

Product Identifier: Walbernize RV Super Seal
Revision Date: 06/11/2026
Chemical Family: N/A
Chemical Formula: Proprietary
Product Use: Polish and sealant
Supplier Details: Astec Corporation
7550-650 Zionsville Road
Indianapolis, IN 46268

Emergency: WWW.PERS-ER.COM - 800-633-8253
Phone: 317-872-7550
Email: stephanie@asteccorp.com

2 HAZARDS IDENTIFICATION**Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):**

Health, Serious Eye Damage/Eye Irritation, 2 B
Health, Skin corrosion/irritation, 3
Health, Specific target organ toxicity - Single exposure, 3
Health, Acute toxicity, 4 Oral
Physical, Flammable Liquids, 3

GHS Label elements, including precautionary statements

GHS Signal Word: **WARNING**

GHS Hazard Pictograms:

**GHS Hazard Statements:**

H320 - Causes eye irritation
H316 - Causes mild skin irritation
H335 - May cause respiratory irritation
H302 - Harmful if swallowed
H226 - Flammable liquid and vapor

GHS Precautionary Statements:

P102 - Keep out of reach of children.
P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
P264 - Wash hands and other exposed areas thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P403+233 - Store in a well ventilated place. Keep container tightly closed.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas#	%	Chemical Name
64741-65-7	15-25%	Naphtha, petroleum, heavy alkylate
64742-89-8	15-25%	Solvent naphtha, petroleum, light aliph.

4 FIRST AID MEASURES

Inhalation:	Remove victim to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Skin Contact:	Remove contaminated clothing. Wash contact area with mild soap and water. Rinse thoroughly.
Eye Contact:	Immediately irrigate eyes with cool flowing water for 15 minutes while blinking eyelids. Get medical attention.
Ingestion:	DO NOT induce vomiting. For a conscious victim, drink one or two cups of milk or water. Never give anything to an unconscious person. Get medical attention immediately.

5 FIRE FIGHTING MEASURES

Extinguishing Media:	Foam, dry powder, carbon dioxide, water spray or sand.
Special Hazards:	Do not use heavy water stream.
Fire Hazards:	None Known
Explosion Hazard:	None Known
Reactivity:	None known.
Firefighter Advise:	Use MSHA / NIOSH approved self-contained breathing apparatus and full protective gear.

6 ACCIDENTAL RELEASE MEASURES

Spill Response:	Wear all protective equipment set forth in Section 8. Provide ventilation. Contain spill. Absorb on inert material or salvage material. Rinse residue with plenty of water
Waste Disposal Method:	Neutralization may be required. Follow all federal, state, and local regulations.

7 HANDLING AND STORAGE

Handling Precautions:	KEEP OUT OF REACH OF CHILDREN. Follow directions on label.
Storage Requirements:	Store in an upright position in a dry area between the temperatures of 40-90 F. Dispose of empty container in accordance with legal regulations

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:	Mechanical ventilation if vapor concentration becomes high.
Personal Protective Equip.:	Chemical goggles; Face shield; Gloves (solvent resistant); Protective clothing.
Exposure Guidelines:	If vapor concentration becomes too high, use NIOSH / MSHA approved respiratory protection.

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Creamy, viscous salmon colored liquid	Odor:	Mild solvent odor
Physical State:	Liquid	Solubility:	Emulsifies
Spec Grav./Density:	.89	Percent Volatile:	Appr. 89
Boiling Point:	212 F	Flash Point:	120 F (48 C)
Flammability:	Limits: 1%-6%	Vapor Density:	>1
Vapor Pressure:	N/E		
pH:	Appr. 7.0		
Evap. Rate:	<1		

10

STABILITY AND REACTIVITY

Chemical Stability:	Stable
Conditions to Avoid:	N/A
Materials to Avoid:	Strong oxidizers
Hazardous Decomposition:	Carbon monoxide and dioxide
Hazardous Polymerization:	Will not occur

11

TOXICOLOGICAL INFORMATION

Information on Toxicological EffectsAcute Toxicity

There is no data available

Irritation/Corrosion

Mild skin irritant

Sensitization

There is no data available

Carcinogenicity

No components are listed as carcinogens by IARC, ACGIH, OSHA, or NTP above the threshold of 0.1%

Specific Target Organ Toxicity (single exposure)

There is no data available

Specific Target Organ Toxicity (repeated exposure)

There is no data available

Aspiration Hazard

There is no data available

Routes of Exposure: Eyes, Skin, Inhalation (Mist), Ingestion.

Acute Symptoms of Single Overexposure:

Eyes:	Can cause severe eye irritation.
Skin:	May cause skin irritation.
Inhalation:	Can cause irritation if misted.
Ingestion:	Harmful if swallowed. Can cause burning in throat and stomach.

Chronic Symptoms of Single Overexposure:

Eyes:	Can cause severe eye irritation.
Skin:	May cause skin irritation.
Inhalation:	Can cause irritation if misted.
Ingestion:	Harmful if swallowed. Can cause burning in throat and stomach.

Threshold Limit Value: N/E

OSHA Threshold Limit Value: Petroleum Distillates: 200mg/m³

ACGIH Threshold Limit Value: Petroleum Distillates: 200mg/m³

Carcinogen under NTP program: N/E

Carcinogen under IARC program: N/E

Teratogenicity, Mutagenicity, Reproductive Effects: No data available.

Ecotoxicity-Fish Species Data: No data available.

Toxicity

There is no data available

Persistence and Degradability

Biodegradable based on components

Bioaccumulative Potential

There is no data available

Mobility in Soil

Soil/Water partition coefficient: Not available

Other Adverse Effects

No known significant effects or critical hazards

Disposal of Waste Method: Must be in accordance with state, municipal, provincial and federal regulations.

Contaminated Packaging: Empty container should be recycled or disposed through an approved waste management facility.

UN1993, Flammable liquids, n.o.s., 3, PGIII, (Contains petroleum distillates)

USDOT (Dept of Transportation) Shipping Name: " Limited Quantity " when shipped in One Gallon conatiners or less.

TDG (Canada): Not regulated when shipped in containers of less than 450 liters.

Component (CAS#) [%] - CODES

Naphtha, petroleum, heavy alkylate (64741-65-7) [n/a%] TSCA

Solvent naphtha, petroleum, light aliph. (64742-89-8) [n/a%] TSCA

Regulatory CODE Descriptions

TSCA = Toxic Substances Control Act

SDS Legend: N/A=Not Applicable N/E=Not Established Appr.=Approximately

Disclaimer:

Astec Corporation (Astec) expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose with respect to the product or information provided herein. All information herein was obtained from sources we feel are reliable. While the information is believed to be accurate, Astec makes no representations as to its accuracy or completeness. Conditions of use are beyond our control and as such, the users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their purposes. The users assume all risks associated with the use of, handling of, and disposal of the product.